

CONFIDENTIAL

OMB Approval Number: 2050-0095
Approved for Use Through: 4/95

SDMS Document



122660

FA S I I I I T E E H E E T E

Site Name: AMES RUBBER CORPORATION
CERCLIS ID No.: NJD000818518
Street Address: Route 565
City/State/Zip: Wantage, NJ 07461

Investigator: Richard Open
Agency/Organization: Resource Applications, Inc.
Street Address: 2980 Fairview Park Dr. #1000
City/State: Falls Church, VA

Date: 11/21/92

DECLASSIFIED

3/18/15
Date: Initial: JL

WASTE CHARACTERISTICS

Waste Characteristics (WC) Calculations:

1 Hazardous Waste Dump	Non-drum containers	Ref: 2	WQ value	maximum
Volume	1.21E+04 gals		2.42E+01	2.42E+01
3 Haz Waste Drum Stor	Drums	Ref: 2	WQ value	maximum
Volume	3.00E+02 drums		3.00E+01	3.00E+01
4 MEK Sat Acc Area	Drums	Ref: 2	WQ value	maximum
Volume	1.00E+01 drums		1.00E+00	1.00E+00
5 Methylene Chlor SAA	Drums	Ref: 2	WQ value	maximum
Volume	2.00E+00 drums		2.00E-01	2.00E-01
6 1,1,1-TCE Sat Area	Drums	Ref: 2	WQ value	maximum
Volume	3.00E+00 drums		3.00E-01	3.00E-01

WQ total 5.57E+01

** Only First WC Page Is Printed ** | Waste Characteristics Score: WC = 18

Ground Water Pathway Criteria List
Suspected Release

Are sources poorly contained? (y/n/u)	N
Is the source a type likely to contribute to ground water contamination (e.g., wet lagoon)? (y/n/u)	Y
Is waste quantity particularly large? (y/n/u)	N
Is precipitation heavy? (y/n/u)	Y
Is the infiltration rate high? (y/n/u)	Y
Is the site located in an area of karst terrain? (y/n)	N
Is the subsurface highly permeable or conductive? (y/n/u)	N
Is drinking water drawn from a shallow aquifer? (y/n/u)	N
Are suspected contaminants highly mobile in ground water? (y/n/u)	Y
Does analytical or circumstantial evidence suggest ground water contamination? (y/n/u)	Y
Other criteria? (y/n)	N

SUSPECTED RELEASE? (y/n)	Y
--------------------------	---

Summarize the rationale for Suspected Release:

There is an observed release to groundwater at the Ames Rubber Wantage Plant based on the results of 1984 sampling, performed on the site's two potable water wells. Contaminants detected were 1,1-dichloroethane and 1,1,1-trichloroethane. The contaminant 1,1,1-trichloroethane was detected in the monitoring well at the site of the former residence located 150 feet to the northeast of the site, across Route 565. NJDEPE is presently reviewing the groundwater treatment and recovery plan submitted as part of the Ames Rubber Remedial Investigation and Feasibility Study (RI/FS).

Ref: 11, 12

Ground Water Pathway Criteria List
Primary Targets

Is any drinking water well nearby? (y/n/u)	Y
Has any nearby drinking water well been closed? (y/n/u)	Y
Has any nearby drinking water well user reported foul-testing or foul-smelling water? (y/n/u)	U
Does any nearby well have a large drawdown/high production rate? (y/n/u)	U
Is any drinking water well located between the site and other wells that are suspected to be exposed to a hazardous substance? (y/n/u)	Y
Does analytical or circumstantial evidence suggest contamination at a drinking water well? (y/n/u)	Y
Does any drinking water well warrant sampling? (y/n/u)	Y

Other criteria? (y/n)	N
-----------------------	---

PRIMARY TARGET(S) IDENTIFIED? (y/n)	Y
-------------------------------------	---

Summarize the rationale for Primary Targets:

Primary target wells are located in the area of the groundwater pathway. Groundwater flow is east towards the Wallkill River.

Ref: 2, 4

GROUND WATER PATHWAY SCORESHEETS

Pathway Characteristics

			Ref.
Do you suspect a release? (y/n)	Yes		
Is the site located in karst terrain? (y/n)	No		10
Depth to aquifer (feet):	96		10,13
Distance to the nearest drinking water well (feet):	0		2
LIKELIHOOD OF RELEASE	Suspected Release	No Suspected Release	References
1. SUSPECTED RELEASE	550		
2. NO SUSPECTED RELEASE		0	
LR =	550	0	

Targets

TARGETS	Suspected Release	No Suspected Release	References
3. PRIMARY TARGET POPULATION 115 person(s)	1150		
4. SECONDARY TARGET POPULATION Are any wells part of a blended system? (y/n) N	235	0	
5. NEAREST WELL	50	0	
6. WELLHEAD PROTECTION AREA None within 4 Miles	0	0	
7. RESOURCES	5	0	
T =	1440	0	

WASTE CHARACTERISTICS

WC =	32	0
------	----	---

GROUND WATER PATHWAY SCORE:

100

CONFIDENTIAL**Ground Water Target Populations**

Primary Target Population Drinking Water Well ID	Dist. (miles)	Population Served	Reference	Value
1 Two on-site drinking well	0.00	115	2	1150
*** Note : Maximum of 5 Wells Are Printed ***				Total 1150

Secondary Target Population Distance Categories	Population Served	Reference	Value
0 to 1/4 mile	115	2,3	16
Greater than 1/4 to 1/2 mile	250	2,3	10
Greater than 1/2 to 1 mile	250	2,3	5
Greater than 1 to 2 miles	5410	3	94
Greater than 2 to 3 miles	4086	3	68
Greater than 3 to 4 miles	3466	3	42
Total			235

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 6

Apportionment Documentation for a Blended System

--

Surface Water Pathway Criteria List
Suspected Release

Is surface water nearby? (y/n/u)	Y
Is waste quantity particularly large? (y/n/u)	N
Is the drainage area large? (y/n/u)	U
Is rainfall heavy? (y/n/u)	Y
Is the infiltration rate low? (y/n/u)	Y
Are sources poorly contained or prone to runoff or flooding? (y/n/u)	N
Is a runoff route well defined(e.g.ditch/channel to surf.water)? (y/n/u)	Y
Is vegetation stressed along the probable runoff path? (y/n/u)	N
Are sediments or water unnaturally discolored? (y/n/u)	N
Is wildlife unnaturally absent? (y/n/u)	N
Has deposition of waste into surface water been observed? (y/n/u)	N
Is ground water discharge to surface water likely? (y/n/u)	Y
Does analytical/circumstantial evidence suggest S.W. contam? (y/n/u)	Y
Other criteria? (y/n)	N

SUSPECTED RELEASE? (y/n)	Y
--------------------------	---

Summarize the rationale for Suspected Release:

A release to surface water is suspected based on the proximity of the site to the Wallkill River (0.3 miles), the mobility of contaminants, and the time elapsed since the release to groundwater occurred (8 years).

Ref: 1, 2, 12, 16

Surface Water Pathway Criteria List
Primary Targets

Is any target nearby? (y/n/u)	If yes:	Y
N Drinking water intake		
Y Fishery		
Y Sensitive environment		
Has any intake, fishery, or recreational area been closed? (y/n/u)		N
Does analytical or circumstantial evidence suggest surface water contamination at or downstream of a target? (y/n/u)		Y
Does any target warrant sampling? (y/n/u)	If yes:	Y
N Drinking water intake		
Y Fishery		
Y Sensitive environment		

Other criteria? (y/n)	N
-----------------------	---

PRIMARY INTAKE(S) IDENTIFIED? (y/n)	N
-------------------------------------	---

Summarize the rationale for Primary Intakes:

There are no drinking water intakes within 15 miles downstream of the site.

Ref: 1
continued -----

continued -----

Other criteria? (y/n)

N

PRIMARY FISHERY(IES) IDENTIFIED? (y/n)

Y

Summarize the rationale for Primary Fisheries:

The Wallkill River is 0.3 mile east of the site and in the direction of the groundwater flow from the site. Groundwater contamination is documented.

Ref: 1, 2, 12

Other criteria? (y/n)

N

PRIMARY SENSITIVE ENVIRONMENT(S) IDENTIFIED? (y/n)

Y

Summarize the rationale for Primary Sensitive Environments:

The Wallkill River, which is also a fishery, is a primary surface water target based on the documented groundwater contamination, proximity of the river to the site, and time elapsed since the contamination.

Ref: 1, 2, 12

SURFACE WATER PATHWAY SCORESHEETS

Pathway Characteristics			Ref.
Do you suspect a release? (y/n)	Yes		
Distance to surface water (feet):	1600		1,2
Flood frequency (years):	>500		7
What is the downstream distance (miles) to:			
a. the nearest drinking water intake?	N.A.		1
b. the nearest fishery?	0.3		2
c. the nearest sensitive environment?	0.0		2
LIKELIHOOD OF RELEASE	Suspected Release	No Suspected Release	References
1. SUSPECTED RELEASE	550		
2. NO SUSPECTED RELEASE		0	
LR =	550	0	

Drinking Water Threat Targets

TARGETS	Suspected Release	No Suspected Release	References
3. Determine the water body type, flow (if applicable), and number of people served by each drinking water intake.			
4. PRIMARY TARGET POPULATION 0 person(s)	0		
5. SECONDARY TARGET POPULATION Are any intakes part of a blended system? (y/n): N	0	0	
6. NEAREST INTAKE	0	0	
7. RESOURCES	5	0	
T =	5	0	

Drinking Water Threat Target Populations

Intake Name	Primary (y/n)	Water Body Type/Flow	Population Served	Ref.	Value
None					
Total Primary Target Population Value					0
Total Secondary Target Population Value					0

*** Note : Maximum of 6 Intakes Are Printed ***

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 12

Apportionment Documentation for a Blended System

--

CONFIDENTIAL

PA-Score 2.1 Scoresheets
 AMES RUBBER CORPORATION - 11/21/92

Page: 13

Human Food Chain Threat Targets

TARGETS	Suspected Release	No Suspected Release	References
8. Determine the water body type and flow for each fishery within the target limit.			
9. PRIMARY FISHERIES	300		
10. SECONDARY FISHERIES	0	0	
T =	300	0	

Human Food Chain Threat Targets

Fishery Name	Primary (y/n)	Water Body Type/Flow	Ref.	Value
1 Walkill Rivier	Y	primary fishery		300
Total Primary Fisheries Value				300
Total Secondary Fisheries Value				0

*** Note : Maximum of 6 Fisheries Are Printed ***

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 14

Environmental Threat Targets

TARGETS	Suspected Release	No Suspected Release	References
11. Determine the water body type and flow (if applicable) for each sensitive environment.			
12. PRIMARY SENSITIVE ENVIRONMENTS	300		
13. SECONDARY SENSITIVE ENVIRONS.	0	0	
T =	300	0	

Environmental Threat Targets

Sensitive Environment Name	Primary (y/n)	Water Body Type/Flow	Ref.	Value
1 Wetlands	Y	primary sens. envir.		300
Total Primary Sensitive Environments Value				300
Total Secondary Sensitive Environments Value				0
*** Note: Maximum of 6 Sensitive Environments Are Printed ***				

CONFIDENTIAL

Surface Water Pathway Threat Scores

Threat	Likelihood of Release (LR) Score	Targets (T) Score	Pathway Waste Characteristics (WC) Score	Threat Score LR x T x WC / 82,500
Drinking Water	550	5	32	1
Human Food Chain	550	300	32	64
Environmental	550	300	32	60

SURFACE WATER PATHWAY SCORE:

100

Soil Exposure Pathway Criteria List
Resident Population

Is any residence, school, or daycare facility on or
within 200 feet of an area of suspected contamination? (y/n/u) N

Is any residence, school, or daycare facility located on adjacent
land previously owned or leased by the site owner/operator? (y/n/u) N

Is there a migration route that might spread hazardous
substances near residences, schools, or daycare facilities? (y/n/u) N

Have onsite or adjacent residents or students reported adverse
health effects, exclusive of apparent drinking water or air
contamination problems? (y/n/u) N

Does any neighboring property warrant sampling? (y/n/u) N

Other criteria? (y/n) N

RESIDENT POPULATION IDENTIFIED? (y/n) N

Summarize the rationale for Resident Population:

SOIL EXPOSURE PATHWAY SCORESHEETS

Pathway Characteristics

	Ref.
Do any people live on or within 200 ft of areas of suspected contamination? (y/n)	No 1, 2
Do any people attend school or daycare on or within 200 ft of areas of suspected contamination? (y/n)	No 1, 2
Is the facility active? (y/n):	Yes 2

LIKELIHOOD OF EXPOSURE	Suspected Contamination	References
1. SUSPECTED CONTAMINATION LE =	550	

Targets

2. RESIDENT POPULATION 0 resident(s) 0 school/daycare student(s)	0	
3. RESIDENT INDIVIDUAL	0	
4. WORKERS 101 - 1000	10	
5. TERRES. SENSITIVE ENVIRONMENTS	0	
6. RESOURCES	5	
T =	15	

WASTE CHARACTERISTICS

WC = 18

RESIDENT POPULATION THREAT SCORE:

2

NEARBY POPULATION THREAT SCORE:

1

Population Within 1 Mile: 1 - 10,000

SOIL EXPOSURE PATHWAY SCORE:

3

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 18

Soil Exposure Pathway Terrestrial Sensitive Environments

Terrestrial Sensitive Environment Name	Reference	Value
None		
Total Terrestrial Sensitive Environments Value		
*** Note : Maximum of 7 Sensitive Environments Are Printed ***		

Air Pathway Criteria List
Suspected Release

Are odors currently reported? (y/n/u) N

Has release of a hazardous substance to the air
been directly observed? (y/n/u) N

Are there reports of adverse health effects (e.g., headaches,
nausea, dizziness) potentially resulting from migration
of hazardous substances through the air? (y/n/u) N

Does analytical/circumstantial evidence suggest release to air? (y/n/u) N

Other criteria? (y/n) N

SUSPECTED RELEASE? (y/n) N

Summarize the rationale for Suspected Release:

CONFIDENTIAL

AIR PATHWAY SCORESHEETS

Pathway Characteristics

Pathway Characteristics			Ref.
Do you suspect a release? (y/n)		No	
Distance to the nearest individual (feet):		1600	
LIKELIHOOD OF RELEASE	Suspected Release	No Suspected Release	References
1. SUSPECTED RELEASE	0		
2. NO SUSPECTED RELEASE		500	
LR =	0	500	

Targets

TARGETS	Suspected Release	No Suspected Release	References
3. PRIMARY TARGET POPULATION 0 person(s)	0		
4. SECONDARY TARGET POPULATION	0	27	
5. NEAREST INDIVIDUAL	0	20	
6. PRIMARY SENSITIVE ENVIRONS.	0		
7. SECONDARY SENSITIVE ENVIRONS.	0	2	
8. RESOURCES	0	5	
T =	0	54	

WASTE CHARACTERISTICS

WC =

0	18
---	----

AIR PATHWAY SCORE:

6

CONFIDENTIAL

Air Pathway Secondary Target Populations

Distance Categories	Population	References	Value
Onsite	115	2,3	16
Greater than 0 to 1/4 mile	115	2,3	4
Greater than 1/4 to 1/2 mile	250	2,3	1
Greater than 1/2 to 1 mile	250	3	1
Greater than 1 to 2 miles	5410	3	3
Greater than 2 to 3 miles	4086	3	1
Greater than 3 to 4 miles	3466	3	1
Total Secondary Population Value			27

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 22

Air Pathway Primary Sensitive Environments

Sensitive Environment Name	Reference	Value
None		
Total Primary Sensitive Environments Value		

*** Note : Maximum of 7 Sensitive Environments Are Printed***

Air Pathway Secondary Sensitive Environments

Sensitive Environment Name	Distance	Reference	Value
1 Wetlands	0 - 1/4	1, 2	1.9
2 Wallkill River	>1/4-1/2	1, 2	0.0
Total Secondary Sensitive Environments Value			2

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 23

SITE SCORE CALCULATION	SCORE
GROUND WATER PATHWAY SCORE:	100
SURFACE WATER PATHWAY SCORE:	100
SOIL EXPOSURE PATHWAY SCORE:	3
AIR PATHWAY SCORE:	6
SITE SCORE:	71

SUMMARY

1. Is there a high possibility of a threat to any nearby drinking water well(s) by migration of a hazardous substance in ground water? Yes

If yes, identify the well(s).

The two on-site drinking water wells.

If yes, how many people are served by the threatened well(s)? 115

2. Is there a high possibility of a threat to any of the following by hazardous substance migration in surface water?

- | | |
|--|----|
| A. Drinking water intake | No |
| B. Fishery | No |
| C. Sensitive environment (wetland, critical habitat, others) | No |

If yes, identity the target(s).

3. Is there a high possibility of an area of surficial contamination within 200 feet of any residence, school, or daycare facility? No

If yes, identify the properties and estimate the associated population(s)

4. Are there public health concerns at this site that are not addressed by PA scoring considerations? No

If yes, explain:

REFERENCES

1. U.S. Geological Survey, 7.5-Minute Topological Map, Hamburg, New Jersey Quadrangle, 1976.
2. Site Reconnaissance Logbook, July 28, 1992.
3. Graphical Exposure Modeling System, General Science Corporation, April 1990.
4. Supple, A. Personal communication with Steve Stiagen, August 18, 1992.
5. Opem, R. Personal communication with Robert Tapson, August 17, 1992.
6. Opem, R. Personal communication with Joseph Douglass, August 18, 1992.
7. Federal Emergency Management Agency, National Flood Insurance Program, Flood Insurance Rate Map, Wantage, New Jersey, Panel Number 340562 0030A, 1984.
8. Ames Rubber Corporation, Notification of Hazardous Waste Activity, August 18, 1980.
9. Ames Rubber Corporation, Application for Hazardous Waste Permit, November 19, 1980.
10. Miller, J.W., Jr., Geology and Groundwater Resources of Sussex County and the Warren County portion of the Tocks Island Impact Area, Bureau of Geology and Topography Bulletin 73, January, 1974.
11. Correspondence between Joseph Douglass, Ames Rubber Corporation and Steve Urbanik, NJDEPE, July 20, 1992.
12. New Jersey Department of Environmental Protection and Energy, Administrative Consent Order, 1992.
13. Stanford, S.D. and Harper, D.P., Reconnaissance Map of the Glacial Geology of the Hamburg Quadrangle, New Jersey. New Jersey Geological Survey Geological Map Series 85-1., 1985.
14. Yadavalli, S. Personal communication with Keith Arneson.
15. Opem, R. Wetland acreage calculations, August, 1992.
16. Supple, A. Personal communication with Daniel Van Abs, August 19, 1992.

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 1

OMB Approval Number: 2050-0095

Approved for Use Through: 4/95

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT FORM				IDENTIFICATION	
				State: NJ	CERCLIS Number: NJD000818518
				CERCLIS Discovery Date: Unknown	
1. General Site Information					
Name: AMES RUBBER CORPORATION			Street Address: Route 565		
City: Wantage	State: NJ	Zip Code: 07461	County: Sussex	Co. Code: 039	Cong. Dist.: 05
Latitude: 41 12' 30.0"		Longitude: 74 35' 0.0"	Approx. Area of Site: 435600 sq feet		Status of Site: Active
2. Owner/Operator Information					
Owner: AMES RUBBER CORPORATION			Operator: AMES RUBBER CORPORATION		
Street Address: 23-47 Ames Boulevard			Street Address: Route 565		
City: Hamburg			City: Wantage		
State: NJ	Zip Code: 07419	Telephone: 201-827-9101	State: NJ	Zip Code: 07461	Telephone: 201-827-9101
Type of Ownership: Private			How Initially Identified: Not Specified		

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 2

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT FORM		IDENTIFICATION	
		State: NJ	CERCLIS Number: NJD000818518
		CERCLIS Discovery Date: Unknown	
3. Site Evaluator Information			
Name of Evaluator: Richard Opem		Agency/Organization: Resource Applications, Inc.	Date Prepared:
Street Address: 2980 Fairview Park Dr. #1000		City: Falls Church	State: VA
Name of EPA or State Agency Contact: Luz Martinez		Telephone: 212-264-4561	
Street Address: 26 Federal Plaza		City: New York	State: NY
4. Site Disposition (for EPA use only)			
Emergency Response/Removal Assessment Recommendation: No Date: 9-15-92	CERCLIS Recommendation: Other Add. Sampling Date: 9-15-92	Signature: Name: Position:	

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 3

POTENTIAL HAZARDOUS

WASTE SITE

PRELIMINARY ASSESSMENT FORM

IDENTIFICATION

State: NJ CERCLIS Number: NJD000818518

CERCLIS Discovery Date: Unknown

5. General Site Characteristics

Predominant Land Uses Within

1 Mile of Site:

Residential

Forest/Fields

Agricultural

Site Setting:

Rural

Years of Operation:

Beginning Year: 1973

Ending Year: 1992

Type of Site Operations:

Manufacturing

Plastic and/or Rubber Products

Waste Generated:

Onsite

Waste Deposition Authorized
By: Present Owner

Waste Accessible to the Public
No

Distance to Nearest Dwelling,
School, or Workplace:
1600 Feet

6. Waste Characteristics Information

Source Type	Quantity	Tier	General Types of Waste:
Non-drum containers	1.21e+04 gals	V	Solvents
Drums	3.00e+02 drums	V	
Drums	1.00e+01 drums	V	
Drums	2.00e+00 drums	V	
Drums	3.00e+00 drums	V	

Physical State of Waste as Deposited
Solid
Liquid

Tier Legend

C = Constituent W = Wastestream

V = Volume A = Area

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 4

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT FORM		IDENTIFICATION	
		State: NJ	CERCLIS Number: NJD000818518
		CERCLIS Discovery Date: Unknown	
7. Ground Water Pathway			
Is Ground Water Used for Drinking Water Within 4 Miles: Yes	Is There a Suspected Release to Ground Water: Yes	List Secondary Target Population Served by Ground Water Withdrawn From:	
Type of Ground Water Wells Within 4 Miles: Private	Have Primary Target Drinking Water Wells Been Identified: Yes	0 - 1/4 Mile	115
		>1/4 - 1/2 Mile	250
		>1/2 - 1 Mile	250
Depth to Shallowest Aquifer: 96 Feet	Primary Target Population: 115	>1 - 2 Miles	5410
		>2 - 3 Miles	4086
Karst Terrain/Aquifer Present: No	Nearest Designated Wellhead Protection Area: None within 4 Miles	>3 - 4 Miles	3466
		Total	13577

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 5

POTENTIAL HAZARDOUS

WASTE SITE

PRELIMINARY ASSESSMENT FORM

IDENTIFICATION

State: NJ CERCLIS Number:
NJD000818518

CERCLIS Discovery Date:
Unknown

8. Surface Water Pathway

Part 1 of 4

Type of Surface Water Draining
Site and 15 Miles Downstream:
Stream
River

Shortest Overland Distance From Any
Source to Surface Water:

1600 Feet
0.3 Miles

Is there a Suspected Release to
Surface Water: Yes

Site is Located in:
> 500 yr floodplain

8. Surface Water Pathway

Part 2 of 4

Drinking Water Intakes Along the Surface Water Migration Path: No

Have Primary Target Drinking Water Intakes Been Identified: No

Secondary Target Drinking Water Intakes:
None

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 6

POTENTIAL HAZARDOUS

WASTE SITE

PRELIMINARY ASSESSMENT FORM

IDENTIFICATION

State: NJ CERCLIS Number:
NJD000818518

CERCLIS Discovery Date:
Unknown

8. Surface Water Pathway

Part 3 of 4

Fisheries Located Along the Surface Water Migration Path: Yes

Have Primary Target Fisheries Been Identified: Yes

Secondary Target Fisheries:
None

8. Surface Water Pathway

Part 4 of 4

Wetlands Located Along the Surface Water Migration Path? (y/n) Yes

Have Primary Target Wetlands Been Identified? (y/n) Yes

Secondary Target Wetlands:
None

Other Sensitive Environments Along the Surface Water Migration Path: Yes

Have Primary Target Sensitive Environments Been Identified: Yes

Secondary Target Sensitive Environments:
None

CONFIDENTIAL

PA-Score 2.1 Scoresheets
AMES RUBBER CORPORATION - 11/21/92

Page: 7

POTENTIAL HAZARDOUS

WASTE SITE

PRELIMINARY ASSESSMENT FORM

IDENTIFICATION

State: NJ CERCLIS Number:
NJD000818518

CERCLIS Discovery Date:
Unknown

9. Soil Exposure Pathway

Are People Occupying Residences or
Attending School or Daycare on or
Within 200 Feet of Areas of Known
or Suspected Contamination: No

Number of Workers Onsite: 101 - 1000

Have Terrestrial Sensitive Environments Been Identified on or Within
200 Feet of Areas of Known or Suspected Contamination: No

10. Air Pathway

Total Population on or Within:	Is There a Suspected Release to Air: No
Onsite 115	
0 - 1/4 Mile 115	Wetlands Located
>1/4 - 1/2 Mile 250	Within 4 Miles of the Site: Yes
>1/2 - 1 Mile 250	
>1 - 2 Miles 5410	Other Sensitive Environments Located
>2 - 3 Miles 4086	Within 4 Miles of the Site: Yes
>3 - 4 Miles 3466	
Total 13692	

Sensitive Environments Within 1/2 Mile of the Site:

Distance	Sensitive Environment Type/Wetlands Area(acres)
0 - 1/4	Wetlands (>50 to 100 acres)
>1/4 - 1/2	State designated areas for aquatic life under Clean Water Act